


Optical Time Domain Reflectometer 6000



Overview

NK6000 series optical time domain reflectometer is a new generation of portable and intelligent measuring instrument designed for testing optical fiber communication system. 8 inch color touch screen, button/ touch dual operation; Internal integration of eight major functional. Baudcom 6000 series OTDR can used to test single-mode wavelengths of 1310nm, 1550nm, 1490nm, 1625nm and 1650nm, multi-mode wavelengths of 850nm and 1300nm as well as customized special wavelengths. The product can achieve a maximum dynamic range of 45dB, ranging resolution of up to 0.05m, a test blind zone with a minimum of 0.8m, dual-wavelength. The JDSU T-BERD/MTS-6000 is a highly integrated test platform for all fiber network life cycle phases. It provides field service technicians with the highest levels of performance and upgradeability on the market today. 8-inch color TFT LCD display, key/touch dual operation.



Article Content

OTDR-4000

The OTDR-4000 from SOFTEL is a Optical Time Domain Reflectometer (OTDR) with Optical Wavelength 1310 to 1550 nm, Dynamic Range 24 to 26 dB, Distance Range 60 Km. More details for

JDSU VIAVI MTS-6000 Optical Time Domain

The JDSU T-BERD/MTS-6000 is a highly integrated test platform for all fiber network life cycle phases. It provides field service technicians with the

Optical Time Domain Reflectometer (OTDR) CS-R5E-50H

Purchase the CS-R5E-50H optical time domain reflectometer for fiber network testing. Fast delivery available in Riga, Latvia, and across Europe.

Tektronix Optical Time Domain Reflectometer TFS3031 Set ML4100

This Optical Time Domain Reflectometer features the Tekranger2 Mod: TFS3031, compliant with 21 CFR 1040.10 and 1040.11. It supports 850/1300 multimode input sources and operates within 9-16

Tempo OFL100-NA Optical Time-Domain Reflectometer with NA

Tempo Communications OFL100-NA Offers The OFL100 Optical Time Domain Reflectometer (OTDR) enables the front-line technician to quickly locate loss events in the last mile of the FTTx network.

JW3302S

The JW3302S from Joinwit is a Optical Time Domain Reflectometer (OTDR) with Event Dead Zone 3 m, Attenuation Dead Zone 8 m, Optical Wavelength 1310 to 1550 nm, Dynamic Range 22 to 24 dB,

The FOA Reference For Fiber Optics

The Optical Time Domain Reflectometer (OTDR) is useful for testing the integrity of fiber optic cables. It can verify splice loss, measure length and find faults. The

OTDR Multifunction Fiber Optical Time Domain Reflectometer NK-6000

NK6000 series optical time domain reflectometer is a new generation of portable and intelligent measuring instrument designed for testing optical fiber communication system.

Mini Multimode Optical Time-Domain Reflectometer

Buy high-end and discount mini multimode optical time-domain reflectometer OTDR from our factory. As one of the leading manufacturers and suppliers in China, we

Navigating the Competitive Landscape of the Portable Optical Time ...

The Portable Optical Time Domain Reflectometer (OTDR) market plays a crucial role in the expansion and efficiency of fiber optic networks. With the demand for high-speed data transmission ...

ZCOTDR-6000 Multi Functional OTDR Optical Time

ZCOTDR-6000 Multi Functional OTDR Optical Time Domain Reflectometer adopts 5.6 inch color screen, double operation of keys and touch.

NK6000 OTDR Optical Time Domain Reflectometer

The NK6000 series optical time domain reflectometer is a high-performance multi-functional test instrument designed for FTTx networks.

Analyzing the Competitive Landscape of the Portable Optical Time Domain ...

The Portable Optical Time Domain Reflectometer (OTDR) market represents a vital segment of the fiber optics testing and measurement domain, facilitating efficient network maintenance and

RT6000-OTDR Optical Time Domain Reflectometer

We are committed to providing customers with miniaturized, low-power, and low-cost optical communication devices and modules.

NK6000 SM Optical Time Domain Reflectometer OTDR OPM VFL LS

NK6000 is a SM Optical Time Domain Reflectometer OTDR with multi-function OPM VFL LS 35/33dB 1310/1550nm

E6000C Mini-OTDR User Guide | Keysight

This guide introduces the features of the Keysight Technologies E6000C Mini-OTDR (Optical Time Domain Reflectometer).

Optical Time Domain Reflectometers

An Optical Time Domain Reflectometer (OTDR) is a precision tool used to detect faults and measure loss along fiber optic links by analyzing backscattered light

OTDR Multifunction Fiber Optical Time Domain

NK6000 series optical time domain reflectometer is a new generation of portable and intelligent measuring instrument designed for testing optical fiber

MT-8649

The MT-8649 from MELONTEL is a Optical Time Domain Reflectometer (OTDR) with Optical Wavelength 1310 to 1550 nm, Dynamic Range 8 dB, Distance Range 0.5 to 100 Km. More details for

Navigating the Competitive Landscape of the Portable Optical Time ...

The competitive landscape of the Portable Optical Time Domain Reflectometer (OTDR) market is increasingly dynamic, driven by technological advancements and changing customer needs.

Optical Time Domain Reflectometers (OTDR)

Optical Time Domain Reflectometers (OTDR) from Joinwit are listed on GoPhotonics. We have compiled a list of Optical Time Domain Reflectometers (OTDR) from the Joinwit website/catalog and made

Fiber Optic Test & Installation Equipment | Fiber

INNO Instrument VIEW600 OTDR + V20 Fiber Inspection Microscope Optical Time Domain Reflectometer 1310/1550/1625nm 39/38/39dB The INNO Instrument

NK6000 OTDR

It is mainly used to measure the length, loss and connection quality of all kinds of optical fibers and cables, and can be widely used in engineering construction, line maintenance and testing,

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://madibabayelectrical.co.za>

Email: sales@madibabayelectrical.co.za

Phone: +27 63 947 2185

Address: 15 Fredman Drive, Sandton, Johannesburg, 2196, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

